




## Auto-Disc™ Model GF-202



GF-202 equipped with CB-100 loading system,  
HL-010 loader, and HL-020 loader

HL-010



Both the GF-202 and the compact  
GF-202s feature a natural resin  
flange for easy configuration of  
2-component systems.

# GF-200 Series Gravimetric Flood Fed

### Simplify and Enhance Your Feeding Process.

Our GF-202 series systems synchronously and accurately blend one gravity or flood fed natural resin with one metered ingredient (color, additive, regrind). Our Auto-Disc™ feeders meter material, in real time, directly on the machine throat, throughout the entire recovery period, to provide a homogeneous blend. All GF models feed up to 2000 lbs (1000 kg) of material per hour. The GF-202S is an ultra-compact version of the already compact GF-202 for customers with limited height restrictions.

GF series gravimetric flood fed systems have completely self-contained push-button calibration, recipes, and security settings at your fingertips. All models fit right onto virtually any injection, extrusion, and blow molding process.

### Standard Features

- Handles all pellet types and regrind
- Automatic calibration system
- Integrated material low-level sensors
- Quick-access top housings for lightning-fast color changes
- Control unit with 80-character alphanumeric LCD display
- Stores up to 250 custom recipes
- Material usage totalizer
- Multi-language operating system



Additional top castings available for quick color changes



# GF-200 Series Lineup



**GF-202**

**Gravimetric Blender  
with Loading System**

**2-Components:**

- 1 flood fed natural resin
- +  
1 metered ingredient



**GF-202S**

**Ultra-Compact Gravimetric Blender  
with Loading System**

**2-Components:**

- 1 flood fed natural resin
- +  
1 metered ingredient

